Contents

No. 1 (August 1994)

Identification of outbreak-associated and other strains of *Clostridium difficile* by numerical analysis of SDS-PAGE protein patterns
Costas, M., Holmes, B., Ganner, M., On, S. L. W., Hoffman, P. N., Worsley, M. A. and Panigraphi, H. 1

***Clostridium difficile*-associated diarrhoea: epidemiological data from Western Australia**
Riley, T. V., O'Neill, G. L., Bowman, R. A. and Golledge, C. L. 13

The role of home-made ice cream as a vehicle of *Salmonella enteritidis* phage type 4 infection from fresh shell eggs
Morgan, D., Mawer, S. L. and Harman, P. L. 21

Immunomagnetic separation as a sensitive method for isolating *Escherichia coli* O157 from food samples
Wright, D. J., Chapman, P. A. and Siddons, C. A. 31

The frequency of culturing stools from adults with diarrhoea in Great Britain
Feldman, R. A. and Banatvala, N. 41

Resistant in faecal *Escherichia coli* isolated from pigfarmers and abattoir workers
Nijsten, R., London, N., Van Den Bogaard, A. and Stobberingh, E. 45

Molecular epidemiology of recent United Kingdom isolated of *Neisseria meningitidis* serogroup C
Yakabu, D. E., Abadi, F. J. R. and Pennington, T. H. 53

Clonal dissemination of two MRSA strains in Germany
Witte, W., Cuny, C., Braulke, C. and Heuck, D. 67

Application of pulsed-field gel electrophoresis to the epidemiological characterization of *Staphylococcus intermedius* implicated in a food-related outbreak
Khambaty, F. M., Bennett, R. W. and Shah, D. B. 75

A school- and community-based outbreak of *Mycobacterium tuberculosis* in Northern Italy, 1992–3
The Lodi Tuberculosis Working Group. 83

Risk factors for giardiasis: a case-control study in Avon and Somerset
Gray, S. F., Gunnell, D. J. and Peters, T. J. 95

Reinfection with influenza B virus in children: analysis of the reinfection influenza B viruses
Nakajima, S., Nishikawa, F., Nakamura, K., Nakao, H. and Nakajima, K. 103

Age-specific antibody prevalence to hepatitis A in England: implications for disease control
Gay, N. J., Morgan-Capner, P., Wright, J., Farrington, C. P. and Miller, E. 113

Prevalence of hepatitis A virus infection among sewage workers in Singapore
Heng, B. H., Goh, K. T., Doraisingham, S. and Quek, G. H. 121

Prevalence of serum IgG antibodies to Puumala virus (haemorrhagic fever with renal syndrome) in Northern Sweden
Ahlm, C., Linderholm, M., Juto, P., Stegmayr, B. and Settergren, B. 129

Survey of fox trappers in Northern Alaska for rabies antibody
Follmann, E. H., Ritter, D. G. and Beller, M. 137

Measurement of IgA responses following Norwalk virus infection and other human caliciviruses using a recombinant Norwalk virus protein EIA
Parker, S. P. and Cubitt, W. D. 143

Identification of astrovirus serotypes from children treated at the Hospitals for Sick Children, London 1981–93
Noel, J. and Cubitt, D. 153

Rubella seroepidemiology in a non-immunized population of São Paulo State, Brazil
De Azeveda Neto, R. S., Silveira, A. S. B., Nokes, D. J., Yang, H. M., Passos, S. D., Cardoso, M. R. A. and Massad, E. 161

The distribution of Akabane virus in the Middle East
Taylor, W. P. and Mellor, P. S. 175
A mathematical model of detection and dynamics of porcine transmissible gastroenteritis
Hone, J. 187

No. 2 (October 1994)

The prevalence of *Escherichia coli* O157 : H7 in dairy and beef cattle in Washington State
Hancock, D. D., Besser, T. E., Kinsel, M. L., Tarr, P. I., Rice, D. H. and Paros, M. G. 199
A community outbreak of haemolytic-uraemic syndrome in children occurring in a large area of Northern Italy over a period of several months
Tozzi, A. E., Niccolini, A., Caprioli, A., Luzzi, I., Montini, G., Zacchello, G., Gianviti, A., Principato, F. and Rizzoni, G. 209
Flagellin gene polymorphism analysis of *Campylobacter jejuni* infecting man and other hosts and comparison with biotyping and somatic antigen serotyping
Owen, R. J., Fitzgerald, C., Sutherland, K. and Borman, P. 221
Toxin production, adherence and protein expression by clinical *Aeromonas* spp. isolates in broth and human pooled ileostomy fluid
Wilcox, M. H., Cook, A., Geary, I. and Eley, A. 235
Trimethoprim resistant dihydrofolate reductases in normal faecal flora isolated in India
Tait, S. and Amyes, S. G. B. 247
Detection of *mecA*, *femA*, and *femB* genes in clinical strains of staphylococci using polymerase chain reaction
Kobayashi, N., Wu, H., Kojima, K., Taniguchi, K., Urasawa, S., Uehara, N., Omizu, Y., Kishi, Y., Yagihashi, A. and Kurokawa, I. 259
Sero/subtyping of *Neisseria meningitidis* isolated from patients in Spain
Vazquez, J. A., Marcos, C. and Berron, S. 267
Hereditary deficiency of the seventh component of complement and recurrent meningococcal infection: investigations of an Irish family using a novel haemolytic screening assay for complement activity and C7 M/N allotyping
Egan, L. J., Orren, A., Doherty, J., Würzner, R. and McCarthy, C. F. 275
Estimated costs of postoperative wound infections. A case-control study of marginal hospital and social security costs
Poulsen, K. B., Bremmelgaard, A., Sørensen, A. I., Raahave, D. and Petersen, J. V. 283
Contamination of hospital linen by *Bacillus cereus*
Barrie, D., Hoffman, P. N., Wilson, J. A. and Kramer, J. M. 297
***Pseudomonas pseudomallei* isolates collected over 25 years from a non-tropical endemic focus show clonality on the basis of ribotyping**
Currie, B., Smith-Vaughan, H., Golledge, C., Buller, N., Sriprakash, K. S. and Kemp, D. J. 307
Municipal drinking water and cryptosporidiosis among persons with AIDS in Los Angeles County
Sorvillo, F., Lieb, L. E., Nahlen, B., Miller, J., Mascola, L. and Ash, L. R. 313
Clonal analysis and virulence of Australian isolates of *Streptococcus suis* type 2
Mwaniki, C. G., Robertson, I. D., Trott, D. J., Atyeo, R. F., Lee, B. J. and Hampson, D. J. 321
The production of *Clostridium botulinum* type A, B and D toxin in rotting carcasses
Ortiz, N. E. and Smith, G. R. 335
Parvovirus B19 outbreak on an adult ward
Seng, C., Watkins, P., Morse, D., Barrett, S. P., Zambon, M., Andrews, N., Atkins, M., Hall, S., Lau, Y. K. and Cohen, B. J. 345
Outbreak of measles in a teenage school population: the need to immunize susceptible adolescents
Morse, D., O'Shea, M., Hamilton, G., Soltanpoor, N., Leece, G., Miller, E. and Brown, D. 355
Successful control of a school based measles outbreak by immunization
Lyons, R. A., Jones, H. I. and Salmon, R. L. 367
Western blot analysis of virus-specific antibody responses for capripox and contagious pustular dermatitis viral infections in sheep
Chand, P., Kitching, R. P. and Black, D. N. 377

Book Reviews
Tuberculosis – Back to the Future 387
Human Virology 389

No. 3 (December 1994)

Genome fingerprinting of *Salmonella typhi* by pulsed-field gel electrophoresis for subtyping common phage types
Nair, S., Poh, C. L., Lim, Y. S., Tay, L. and Goh, K. T. 391
Contamination of hands and work surfaces with *Salmonella enteritidis* PT4 during the preparation of egg dishes
Humphrey, T. J., Martin, K. W. and Whitehead, A. 403
Application of physico-chemical typing methods for the epidemiological analysis of *Salmonella enteritidis* strains of phage type 25/17
Seltmann, G., Voigt, W. and Beer, W. 411
Changing epidemiology of human salmonellosis in Hong Kong, 1982–93
Wong, S. S. Y., Yuen, K. C., Yam, W. C., Lee, T. Y. and Chau, P. Y. 425
Flies and water as reservoirs for bacterial enteropathogens in urban and rural areas in and around Lahore, Pakistan
Khalil, K., Lindblom, G.-B., Mazhar, K. and Kaijser, B. 435
Randomly amplified polymorphic DNA typing: a useful tool for rapid epidemiological typing of *Klebsiella pneumoniae*
Wong, N. A. C. S., Linton, C. J., Jalal, H. and Millar, M. R. 445
Clonal diversity of *Streptococcus pyogenes* within some M-types revealed by multilocus enzyme electrophoresis
Haase, A. M., Melder, A., Mathews, J. D., Kemp, D. J. and Adams, M. 455
***Staphylococcus aureus* strains of type 95. Spread of a single clone**
Rosdahl, V. T., Witte, W., Musser, M. and Jarløv, J. O. 463
Duration of carriage and transmission of *Yersinia enterocolitica* biotype 4, serotype 0:3 in dogs
Fenwick, S. G., Madie, P. and Wilks, C. R. 471
Information on which to base assessments of risk from environments contaminated with anthrax spores
Watson, A. and Keir, D. 479
Seroepidemiology of cryptosporidiosis in children in Papua New Guinea and Australia
Groves, V. J., Lehmann, D. and Gilbert, G. L. 491
The epidemiology of bat rabies in New York State, 1988–92
Childs, J. E., Trimarchi, C. V. and Krebs, J. W. 501
The role of the pre-symptomatic food handler in a common source outbreak of food-borne SRSV gastroenteritis in a group of hospitals
Lo, S. V., Connolly, A. M., Palmer, S. R., Wright, D., Thomas, P. D. and Joynson, D. 513
The prevalence of hepatitis B and C in an antenatal population of various ethnic origins
Boxall, E., Skidmore, S., Evans, C. and Nightingale, S. 523
Hapatitis C virus infection in Iceland: a recently introduced blood-borne disease
Löve, A. and Stanzeit, B. 529
Low prevalence of antibody to human parvovirus B19 in Singapore
Matsunaga, Y., Goh, K. T., Utagawa, E. and Muroi, N. 537
Exposure to enteroviruses and hepatitis A virus among divers in environmental waters in France, first biological and serological survey of a controlled cohort
Garin, D., Fuchs, F., Crance, J. M., Rouby, Y., Chapalain, J. C., Lamarque, D., Gounot, A. M. and Aymard, M. 541
Serodiagnosis of Crimean–Congo haemorrhagic fever
Burt, F. J., Leman, P. A., Abbott, J. C. and Swanepoel, R. 551
Epidemiological evaluation of a monoclonal ELISA detecting antibodies against bovine leukaemia virus in serum pools
Knapen, K., Kerkhofs, P., Thiry, E. and Mammerickx, M. 563
Book Review
Society for General Microbiology. Symposium 51. Viruses and cancer 571
Indexes 573